





NOTES:

- 1) MATERIAL: BLACK UHMW TIVAR 1000 VIRGIN MATERIAL SHEET
REF DART SPEC MUHMWB
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND S/N PER DART QSI 044 6.3
WITH 0.25 LETTER HEIGHT, 0.010 MAX DEPTH AND 0.010 MIN TOOL RAD
- 7) WEIGHT: 0.61 lbs
- 8) ENGRAVE DART LOGO WITH 0.38 LETTER HEIGHT, 0.010 MAX DEPTH, AND 0.010 MIN TOOL RAD
- 9) ENGRAVE "NO STEP" WITH 0.38 LETTER HEIGHT, 0.010 MAX DEPTH, AND 0.010 MIN TOOL RAD

WORK IN PROGRESS

PRELIMINARY ISSUE

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	MW		
CHECKED	ZF	DRAWING NO. D5711	REV. A3
MFG. APPR.	RQ		SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		HOIST GUARD (EC145)	NTS
DATE	18.12.13	COPYRIGHT © 2018 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	